

Jøtul F 371 Advance

Jøtul F 373 Advance

Plancha de suelo

Dimensiones mínimas de la placa de piso
X / Y = De conformidad con las leyes y
reglamentos nacionales.

* Suministro de aire

** Distancia mínima a muebles /
materiales combustibles.

Techo inflamable



Technical drawing of a mechanical part showing a top view and a side view. The top view is a circle with a central hole, divided into four quadrants by a vertical and horizontal centerline. The right half is hatched. Dimensions include a 45-degree angle for the hatched area and a 4.50 unit distance from the top edge to the center of the hole.


Technical drawing of a door handle assembly. The drawing shows a side view of the handle mounted on a door. Key dimensions are indicated:

- 700: Distance from the door edge to the center of the handle.
- 921: Distance from the door edge to the center of the handle (labeled below the 700 dimension).
- 150: Height of the handle from the door edge.
- 398: Total height of the handle assembly.
- 603: Total height of the handle assembly (labeled on the right).


Technical drawing of a mechanical part, likely a bracket or arm, showing dimensions in millimeters. The part is L-shaped, with a vertical section on the left and a horizontal section on the top. The vertical section has a width of 450 mm. The horizontal section has a width of 659 mm. The overall length of the horizontal section is 932 mm. The overall length of the vertical section is 1137 mm. The part features a central circular hole with a diameter of 10 mm. There are also three small rectangular holes on the vertical section, each with a width of 10 mm. The part is shown in a perspective view, with dashed lines indicating the hidden edges.

Jøtul F 370 Advance - Distancia mínima a una pared de material no combustible

Esterno







Integrado





Jøtul F 377 Advance - Distancia mínima a pared / techo de material combustible

Jøtul F 377 Advance con High Top




Pared de material combustible



* Suministro de aire

Jøtul F 377 Advance - Distancia mínima a una pared de material no combustible

Esterno



Integrado

